

Agfa MSC 300



The swift version - for high order amounts. An innovative [cascade rinsing system](#) provides an even more efficient use of chemicals.

Performance:

- from negative to print 1,700 prints/hour*

The machines are equipped with an interface to which a second paper magazine or a Digital Print Unit ([Agfa DPU](#)) may be connected.

*135-24 / 10cm x 15cm/effective

Don't miss our [new products](#) for minilabs! We will be happy to assist you with further information.

Technical Specifications:

Film Processor

Recommended film processor: Agfa FP 3-72

Printer

Negative formats 135 (F, H, P, HV), IX 240, 110, 120 (4.5 x 6, 6 x 6, 6 x 7, 6 x 8, 6 x 9), 220

Paper widths	82 mm (3¼"), 89 mm (3½"), 95 mm (3¾"), 102 mm (4"), 120 mm (4¾"), 127 mm (5"), 152 mm (6"), 165 mm (6½"), 178 mm (7"), 203 mm (8"), 210 mm (8¼")
Scanner system	Agfa Total Film Scanning T.F.S., True single-channel processing for all film brands, types and formats.
Lenses	Zoom for 135, IX 240 and 110 film formats. Variable focus lens for 120/220/IX240 film formats (option).
Paper magazine	2 x 180 m, second paper cassette unit standard

Paper Processor

Chemicals	MSC 300 PAPER CHEMICALS, MSC 300 TANK KIT (cascade overflows with SB backspills)
Paper feeding	Sheet/roller transport, Double lane transport up to paper width <= 102 mm
Processing time incl. drying	Speed mode: 2 min. 34 sec.
Processing tanks	CD: ca. 18.5 l, BX: ca. 18.0 l, SB: ca. 3 x 12.5 l
Replenishing tanks	CD: 10 l, BX: 10 l, SB: 20 l
Effluent tanks	CD: 5 l, BX: 5 l, SB: 10 l
Evaporation balance	automatic

Performance

	Film Format: 135/24		
Print format	89 x 127	102 x 152	210 x 305
Paper width (mm)	89	102	210
Effective prints/hr	1800	1700	530
Multiprints/hr	1900	1800	560
	Film Format: IX240/25, C/H/P standard mix		
Paper width (mm)	89	102	-
Effective prints/hr	not yet available	not yet available	-

Miscellaneous

Type-No.	8508/100 (Euro/CE), 8508/500 (USA/UL)
Dimensions (LxWxH)	242 x 92 x 175 cm (with sorter)
Necessary room height	215 cm
Weight	810 kg (empty), 950 kg (incl. chemicals)

Power
1 N: 230-240V
3 N: 230/400 V
3 : 208 V
50/60 Hz

Chemicals

MSC 300 TANK KIT Agfa provides a customised easy-to-handle product assortment for the new MSC minilabs. Jump to [MSC chemicals](#) assortment.



[Search](#) [News](#) [Feedback](#) [Agfa Photo Gallery](#) [Library](#) [Advanced Photo System](#) [Trends & Experiences](#)

[Photohome](#) - [Products](#) - [Lab Equipment](#) - [MSC Compact Labs](#) - MSC 300 <-- **you're here**

[About Agfa](#) | [Agfa Arcade](#) | [Agfahome](#) | [Photohome](#)

[Search](#) | [News](#) | [Feedback](#)

[Agfa Photo Gallery](#) | [Library](#) | [Advanced Photo System](#) | [Trends & Experiences](#)

©1996-98 by Agfa-Gevaert AG, [Copyright](#) and [Trademark](#) Information